


Vet-to-Home
Pro Care Guaranteed



Website



OUR PRODUCTS

2025-2026



E-CATALOG

 : @VeterinaryMedicalEquipment

 : @james.shawn.94043

 : @OKCLEVERvetproducts

ABOUT US

OKclever: Dual Guardianship—From Operating Table to Your Couch: Pro-Grade Care, Everywhere.

When vets worry about anesthetic risks, and pet parents panic over wound care—

OKclever responds: “Professional-grade care for every life stage.”

Powered by KELLYUNION’s human medical legacy (since 2009), we redefine veterinary standards.

Veterinary Hospital Line

- Rapid Lesion Mapping
- Smart Anesthesia Guardian
- Mobile Vital Monitoring
- Stable Surgical Warming

Home Care Essentials

- Smart Feedin
- Zero-Stress Care
- Hygiene Solutions
- Globally Certified



+86 177 1253 6198

+86 177 1253 6198

sales@kellyunion.com

Manufacturer: No.9,Zhugushi Chunyang Industrial Park,Shenzhen City,Guangdong,China

Branch: Room 1505, Building 6, Financial City, Shiji Avenue, Yancheng City, Jiangsu, China

Diagnostic Instruments P01



Therapeutic Equipments P17



Monitoring Equipments P47



Household Products P51



DRT-40Vet
Vet Digital Radiography Imaging System



Features

- X-Tube CANON Rotating Anode Tube
- X-Tube Focus spot:1.0/2.0mm
- X-Tube Max voltage:125kV
- High Voltage Generator:120/220V 32kW 400mA
- Flat Panel Detector: a-SITFI CsI Sensor

TTOL-D5
Surgical Lamp Mobile Version



Features

- Illuminance: ≥40,000-180,000Lux(Adjustable)
- LED Quantity: 6l pcs
- Service Life: > 80,000h
- Colortemperature: 3700~5000K(Adjustable)
- Size of light field:160~280mm

Optional Lamp Model



INF-32KW-P-A
Professional Veterinary Digital Radiography X-ray System



Features

- Anode type: Rotating Anode
- Focal Spot value1.0mm/2.0mm
- Revolving speed of anode2800rpm
- Active Area: 17x17Inch(43cm*43cm),Active Pixel: 2912*2912
- Floating Radiography Table,load-bearing:150KG

INC-5KW-P
Veterinary C-arm Xray Machine
(With Flat-panel Detector)



Features

- Laser localizer and 210mm x 210mm flat panel detector for high-resolution images
- 5 KW Powerful generator,large diameter, lightweight mobile C-arm
- High performance x-ray tube emits X-rays in pulsed mode with modulated power to suit every procedure type
- 34" monitor project real-time video and referenceimages simultaneously
- Foot switch,multi-function hand switch

KV-A3
ECG Machine



Features	
Protection against defibrillator effect	
Input Circuit	Floating
Type	Portable 12 leads ecg touch screen ECG
Voltage Tolerance	500mV
Operation Mode	Manual/Auto

N20
Full Digital Laptop Ultrasound Diagnostic System



Features	
- 15" high-end HD 1024*768 medical grade display	
- Display Modes: B, B/B, 4B, B+M, M	
- Multiple probe options for a variety of disease screenings	
- Removable 6000 mAh lithium battery	
- Applicable animals:Cat, dog, pig, goat, sheep, cow, horse, camel, donkey	

Applicable To Animals



M10
Mechanical Fan Scan Ultrasound Scanner



Features	
- 5.6-inch high-definition screen	
- high strength aluminum alloy metal shell	
- Permanently store tens of thousands of pictures	
- Support external U disk, monitor, printer, etc	
- Applicable animals:Dog, pig, goat, sheep	

Applicable To Animals



X8
Full Digital Ultrasound Scanner



Features	
- 5.7-inch high-definition LCD screen	
- 16-color handheld ultrasonic all-in-one machine, could adjust different colors	
- Five detection modes,suitable for different detection targets of different animals	
- Major functions:test pregnancy,numbers of births,Uterine disease	
- Applicable animals:Cattle,Sheep,Pig,Horse,Camel,Cat,Dog	

Applicable To Animals



KV-1600B
Color Doppler Ultrasound Diagnostic System



Features	
- Charging mode: wireless	
- The effective transmission distance of WiFi connection is not less than 10 m)	
- Image flip function	
- 8-segment TGC adjustment	
- Storage function of DlcoM file	

Application



BC-401
Urine Analyzer



Features	
- Testing Items: GLU, BIL, SG, KET, BLD, PRO, URO, NIT, LEU, VC, PH	
- Testing Theory: RGB tricolor	
- Repetition: CV<1%	
- Stability: CV<1%	
- Display: 2.4" color LCD	

Optional Model



VX2
Vet dental portable X-ray machine



Features	
Tube voltage/current	60KV/2.0mA
Exposure time	0.1-1.2s
Frequency	30KHz
Distance from focus to skin	118mm
Tube focus point	0.8mm*0.8mm

Operation Interface



KV-HFC
Fundus Camera



Features	
Screen	3.5" full color LCD
Field of View	40°
Minimum Pupil	2.5mm
Refractive Compensation	-20D~+20D
Resolution	Full HD true 1920 1080

KV-BL50
Veterinary Slit Lamp



Features	
Eyepiece	10X and 16X
Objective Lens	1X
Diopter Adjustment	±5D
Visual Field	10mm
Working Distance (WD)	78 mm

Optional Model



KV-VM2
Vet Handheld Pulse Oximeter



Features
Application range Cat/Dog/Horse/Medicine/Surgery/Operating Room
SpO2 Measurement range: 70~99%
Pulse Rate Measure range: 18-300 bpm
Temperature Measure range: 0~50°C
Rechargeable lithium battery,10 hours continuous working
Support multiple languages

BPM01
Pet Blood Pressure Monitor



Features	
Number of memory	2*99 groups
Dimensinos	145 (length) * 106 (width)* 47 (height) mm
Screen size	89*85mm
Power supply	Type-C interface
Battery	4*AAA battery
WHO	blood pressure classification

Accessories



KV-T310B
ENT Diagnostic Unit



Features
3X Magnification
Direct illumination
LED White/LED Sunlight
Compatible with disposable ear speculums
Larger viewing window/Pneumatic Testing

Application Scenario



KV- BR1000A-I
Veterinary Oximeter



Features	
- Light weight, easy-to-use	
- Pulse rate value, SpO2 value display	
- Perfusion index, pulse rate waveform	
- Lower consumption and low voltage reminder	
- Real-time data transmission to PC and phone, real time storage in app	

Application



KV-WNKS
Visual Artificial Insemination Gun




eatures	
Endoscope Probe	44cm
Input	100-240V AC 50/60HZ 0.15A
Output	5V DC 1000mA
Charging	Built-in battery, USB charging
Continuous Working Time	2h

KV-WKS
Vet Insemination Gun



Features	
Display Size	377mm*247mm
Pixel	5 million, Air passage: 2mm
Handle	Total Length 490mm
Observation Channel	2mm
One-time Vas Deferens	66cm

M50
Wired Flat Panel Detector



Features	
Independent intellectual property rights, multiple patents	
High sensitivity, high spatial resolution	
Dust resistance and waterproofing, IP54 ingress protection	
Automatic Exposure Detection (AED) (standard)	
User-friendly design with concealed handles	
Lower dose, safer for human body	

Veterinary Diagnostic Kit



Features

- High Sensitivity And High Specificity
- Rich variety of pet rapid test
- Fast results. Result are ready within 10 minutes.
- Easy to use. Simple procedure with few steps.
- Little or no special equipment required.

KV-2015
Dual Tube Stethoscope



Features

- Designed for auscultation in general veterinary practise
- Dual tubing, Dual head, Soft eartips
- Total lenght: 74.5 cm, Large diaphragm: 40 mm, Small diaphragm: 26 mm
- Zinc alloy chestpiece and aluminium binaural
- Acoustic sensitive

Optional Model



Small Diaphragm: 35mm

KV-2025
Cardiology Stethoscope



Features

- Designed to improve auscultation in the low frequency area giving a better evaluation of heart sounds
- Acoustic sensitive
- Dual head, Soft eartips
- Total lenght: 72.5 cm, Large diaphragm: 44 mm
- Stainless steel chestpiece and aluminium binaural

Optional Model



Small Diaphragm: 30mm

KV-BGM01
Pet Blood Glucose Meter Kit



Features

- Fresh whole blood (capillary, venousarterial) can be used for testing for veterinary clinics
- Test time: 5 seconds
- Measurement range: 10 to 600 mg/dL(0.6~33.3 mmol/L)
- Sample Volume: 0.5uL
- Memory: Up to 300 records with date and time

Accessories



KDV-04
Vet Thermometer




Features	
Measurement range	32.0~43.9 ° C, 90.0~109.9 ° F
Resolution	0.1 ° C, 0.1 ° F
Accuracy	± 0.1 °C (± 0.2 °F)
Memory storage	Last measured temperature
Measurement time	10/60 seconds

KDV-05
Vet Digital Flexible Thermometer



Features	
Color	Green White/Blue/Customize
Accuracy	±0.1°C
Usage	Zoos, livestock farms
Measure Range	32°C-42.9°C/ 89.6~109.22°F
Battery	Button battery

Application Scenario



OPC-01
Digital Thermometer Protection Cover



Features	
- Convenient: Use once and discard	
- Sanitary: Covered thermometer probe reduces chance of cross-contamination	
- Multi-purpose: Use for oral or underarm measurements or anus	

Application Scenario



KDV-03
Vet Digital Rigid Thermometer



Features	
Material	Metal, Plastic
Measurement Accuracy	32.00°C~42.99°C(90.00°F~109.90°F)
Testing time	16 Second
Accuracy	±0.1°C 35.00°C~39.00°C
Battery Type	2×AAA

1 Second Test time



KV-IR206
Pet Non-contact Infrared Thermometer



Features

- Simple Hygienic Temperature Reading
 - Calibrated For Dog's Body Temp
 - Ultra Fast and Accurate
 - High definition LCD display screen
- Measurement range 89.6°F–109.2°F (32.0°C–42.9°C)

Temperature Alarms



TC-460
Veterinary Cone-beam CT



Features

- Extremely Fast and Efficient
- Smart Operation
- low-radiation
- Easy Installation

M50E-8A
Veterinary High-power Portable X-ray Generator



Features

- 8kW High-frequency generator
- 7-inch large touch screen
- Built-in collimator design
- Applicable in different scenarios

HF-210V
Veterinary Warming System



Features

- Standard version for vet use: 1pc blanket and 1pc trolley
- Warming up time: <4mins
- Filter: G4 (EN779) grade
- Dimension: 260*325*325mm
- Weight: <6Kg

Apollo
2-in-1Vet Laser Therapy and Surgery Device



Features

- Deep healing can be achieved using touch therapy
- Reduce surface scattering and reflection
- Laser treatment combined with manual massage
- Enables treatment of deep tissue injuries
- Shortens treatment time and reduces pain symptoms

Application Scenario



SX80 Vet
Veterinary Dental X-Ray Machine



Features

- Ultra high frequency X-ray generator
- Ultra-low radiation dose
- High level of safety protection
- The world's leading ultra-high frequency inverter technology
- Top tube voltage and tube current parameter values
- Tube voltage and tube current can be manually adjusted

DTS-280
Veterinary Dental Workstation



Features

- X-ray shooting
- Integrates cleaning, grinding, polishing, cutting
- Mounting bracket and arms for dental DR
- All-in-one monitor with touch screen
- Vet dental imaging software

A08
Ultrasonic Scaler



Features

- Teeth cleaning, periodontal treatment, root canal irrigation, automatic water supply
- Equipped with 5 working tips: G1, G2, G4, P1, E1
- Wireless foot control: Yes
- Water type:Bottle
- Handpiece : LED

HF-620B
Syringe Pump For Vet Use



Features

- Syringe size 5ml, 10ml, 20ml, 30ml, 50/60 ml
- Accuracy $\leq \pm 2\%$ ($\pm 1\%$ mechanical accuracy included)
- Preset Time 1s ~ 99hr59min59s
- Accumulated Volume 0.00-9999.99ml
- KVO 0.10 -5.00ml/h adjustable


UG-100 Main Unit
Ultrasonic Scalpel System



Features

- Low operating temperatures, no eschar or carbonization
- Low lateral thermal damage, with five adjustable cutting speeds
- Curved jaw design with larger viewing area
- 360° operating angle, adjustable and flexible
- Stable and reliable, high safety
- Easy to care, compact and lightweight

Accessories



HF-110C
Veterinary Blood and Infusion Warmer



Features

- | | |
|---------------------|--|
| Temperature Setting | 35.0°C~42.0°C, Warming Up |
| Warming Up Time | ≤ 2 min |
| Overheat Protection | 46°C, hardware and software protection |
| Alarm | Overheat, low temperature, system error, door open, warming up alarm |
| Blood and IV Sets | Standard single used PVC blood or IV tubes (diameter: 3.4-4.5mm) |
| Heating Way | Long, Middle, short grooves |

HF-710C
Infusion Pump for Vet Use



Features

- 10 levels setting for occlusion and air bubble volume
- 3000mAh battery and backup time more than 10hrs.
- Big Screen and numeric keypad
- Occlusion pressure release and restarting function
- Infusion Mode: Volume mode, time mode

PLVT-01
Electric Pet Grooming Table



Features	
Lowest height	25cm
Controller	Foot pedal controller
Table Top	Water proof fiber table top
Hair dryer hooks size	1250x650x(250-950)mm (length x Width x Height)

PLVOT-001
Electric Pet Operating Table



Features	
- Table Size: Length 1300mm, Width 600mm, Height 450-1000mm	
- Thermostatic control system : Standard	
- Load Capacity: 250kg	

HepoIS CT
Contrast Media Injector



Features	
- 360° Rotatable Syringe Head	
- Plug-and-Play Syringe System	
- Dual-flow Injection OptimizesCardiac Imaging	
- Simultaneous Contrast/Saline Injection	
- Injection Program Optional	
- Auto-advance/retract &Auto-priming/venting	

R55
Self-Contained Air Vacuum Oxygen Concentrator
For Anaesthesia



Features	
- Power consumption 1200W	
- Sound Level ≤60db	
- Flow Rate 0.5-5L,Purity 93%(±3%)	
- Pressure gauge AIR, O2, VAC	
- Alarms Low purity, High tempera	

TA100V
Veterinary Anesthesia Machine



Features

- Suitable for anesthesia of cats/dogs/monkeys/pigs and other animals under 100KG
- Operation Mode: Semi-closed,open breathing circuit for option
- Flow Range: 0-4L/min
- APL: 0.2-7.0Kpa
- O2 Flush: 25-75L/min high oxygen flow

Optional Model 60V/80V



KV-W600V
Veterinary Anesthesia Machine



Features

Material	Metal Plastic Steel
Tidal volume(Manual Mode)	10~2000ml
Gas pressure	0.25~0.65Mpa
APL Valve	0.5~6.0Kpa
OXYGEN Flush	25~75L/min

Application



TA-VAMS6
Veterinary Anesthesia Mask



Features

- Applicable to all respiratory anesthesia machines
- Unique adapter: animal anesthesia first aid oxygen inhalation atomization
- Application: dogs, cats, pigs, rabbits, birds, mice, rats and other animals
- International standard interface 15mm/22mm

Storage Sets



TA-VAOS5
Veterinary Oxygen Mask



Features

- Used with most oxygen equipment
- Used with an oxygen compressor
- Used with oxygen transport and rescue systems
- A venting prevents CO₂ from building up in the mask
- Multiple sizes to choose

Storage Sets



DD-75T
Veterinary Electrosurgical Generator



Features

- Only 3.5kg Light and Compact
- Power supply Voltage: 110/220VAC
- Maximum Output Power:75W
- Working Frequency: 600kHz (for cutting), 300kHz (for coagulation)
- Ambient Temperature: 5~40°C

Back View



UC-1801
Pet Incubator



Features

- illumination Function
- Carbon Dioxide Concentration Monitoring
- System Accurate Temperature Control
- Sterilization Function
- Negative-ion Generation

KVBO-01
Veterinary Orthopedic Instruments



Features

- Material Stainless Steel
- Input Voltage 220V 50HZ
- Frequency > 13000rpm
- Speed (drill) >0-1100rpm
- Speed(AO Bone Drill) >0-1100rpm

Storage Sets



ZYBY5-M04
5L Oxygen Concentrator



Features

- Provide fresh air for the animals during surgery
- Outlet Pressure 0.04-0.07MPA
- Rated Power ≤300W
- Sound Level ≤40db
- Flow Rate 0.5-5L,Purity 93%(±3%)

KV-TH1
Anesthesia Ventilator



Features	
Respiration Mode	IPPV, Manual
Tidal Volume	50ml ~ 1600ml
Breath Frequency	1~90BPM
Driven Model	Pneumatically Driven and Electrically Controlled
Display	High light LED display

APNEA
VET Apnea Sensor



Features	
- Compact &light weight	
- Easy to Use	
- Sensitive to Apnea	
- To Turn on Automatically	
- To Turn off Automatically	

Application Scenario



KD-203AY-4
Headlight with Magnifier



Features	
- Light source: 3WLED	
- Color temperature: 4000~5000K	
- Bulb life: ≥50000h	
- Illumination: ≥12000Lux	
- DC charging time: <5h	

KV-04IAZ
Veterinary Anesthesia Laryngoscope



Features	
- The laryngoscope lens is made of 304 medical stainless steel	
- Lighter blades make the doctor's operation easier	
- Super hardness makes the blade more durable	
- Can be sterilized at 134 degrees Celsius.	
- Advanced design, beautiful appearance, smooth surface is easy to clean.	

Package



KV-WHP600
Hyperbaric Oxygen Chamber



Features	
Power	1210W
Air Flow	65-72L/Minute
O2 Flow	0-10L/min adjustable
O2 Purity	≥93%
O2 Outlet Pressure	0.05mPa

KVL-01
Portable Vet Laser Treatment Device



Features	
- Therapy Applications: PainRelief Cure Knee Arthritis Rheumatoid	
- Arthritis and Athletics System Injuries	
- Soft Tissue Injuries and Sports Injuries & Sprain	
- Wound & Ulcer Acupuncture and Diminish Inflammation	

Optional Color




Airway-Sure
ET Cuff Pressure Manometer Airway-Sure



Features	
- Safe: Real-time detection of the cuff pressure during the whole intubationprocess	
- User-friendly: Easily measure the cuff pressure of cuffed airways without operation	
- Intuitive: Digital pressure readout marked in different colors	
- Reliable: The optimal cuff pressure between 20 and 30 cmH2O is suggestedby the clinical evidence(+/-2 cmH2O accuracy)	
- Convenient: Pocket-sized, light-weight,and can stay at the patient's bedside	

Accessories



TA-ETTSC17S
Endotracheal Tube with or w/o Cuff



Features	
- Endotracheal Tube with Cuff/ without Cuff	
- Material: PVC	
- Anesthesia and breathing circuits: inner diameter 2.0/2.5/3.0/ 3.5/4.0/4.5/5.0/5.5/6.0/6.5/7.0/7.5/8.0/8.5/9.0/9.5/10.0/10.5/ 11/12/13mm	

Different Size



TTCat1
Cats Tracheal Tube



Features

- Avoid the problems caused by ET tubes such as laryngeal and tracheal trauma
- Suitable for small kittens to adult large domestic breeds
- No laryngeal damage/spasms
- No tracheal trauma
- Protects airway from reflux/regurg material

Optional Model



TA-VADGC8G
Disposable Gas Filter Canister



Features

- With PP material, safe and non-toxic
- Built-in filter sponge, offer good sealing and strong filterability
- Better prevent the anesthetic contamination of the operating room to the veterinarian
- 250g and 800g for options(weight of active component)
- Design to absorb anesthesia waste gas such as ISO, HAL, ENF, etc

KV-P03
Pet First Aid Kit



Features

- Essential & Diverse: Covers wound care, disinfection, and emergency treatment
- Pet-Specific: Tailored for pets with tick removers and alcohol-free wipes
- Compact & Portable: Small, lightweight nylon bag for easy transport
- Sterile & Safe: Sterile gauze and adhesive bandages to minimize irritation
- Emergency Ready: Organized for quick access during urgent situations

Accessories



KV-37
Mosquito Mask for Hbrses



Features

- Material: polyester + nylon fiber
- Product color: black, gray, purple
- Protect your horse from mosquitoes and flies
- Does not affect the sight and eating horse material
- Two ways to wear

Application Scenario



KV-17

Pet knee straps



Features

- Eco-friendly material
- Contains infrared heat to keep warm
- Equipped with velcro for maximum adjustability
- Two strands are easily adjustable
- Stretchy, snug fit

Application Scenario



KV-29

Knee Strap Walker



Features

- Assistive support for dogs with leg injuries, fractures, patella dislocations, and surgeries
- Relieves pain due to injury or surgery
- Provides support and stabilization during injury
- Prevents pets from licking leg wounds
- Helps with loss of stability caused by arthritis

Application Scenario



KV-32-1

Pet Hind Limb Assist Belt



Features

- Designed for disabled dogs, middle-aged and elderly dogs.
- Rehabilitation training, stairs assistance
- Various ways to use
- Meet the needs of different environments
- Easy to wear

Application Scenario



KV-S101

Pet Hind Leg Support Belt



Features

- Suitable for backlash, postoperative recovery
- Breathable and comfortable, the pet will not be stuffy and hot to wear for a long time
- Reserved grooves will not affect your pet's urine
- Double fixed with velcro and buckle, will not fall off easily

Application Scenario



MM-01
Mosquito mask for horses



- | Features |
|---|
| - Material: Polyester fiber + nylon fiber |
| - Product size: Large, small |
| - Product color: Black, gray, purple |
| - Features: Does not affect sight, does not affect eating |

SPSA01
Pet knee straps



- | Features |
|---|
| - PawEase Size: XS, S, M, L |
| - Supports: 10 elastic supports to better support the dog's legs |
| - Strap design: elastic strap design,adjustable range is larger |
| - Feature: the belly wrap lengthened,more friendly to the dog privacy |

SQSL-016
VetSet Veterinary Gloves



- | Features |
|---|
| - Material : PE/9g |
| - Size: 90x30cm |
| - Cuff: open cuff(elasticit/no elasticity) |
| - Color: Blue/orange/pink or customization |
| - Packing:10pcs/roll, 10rolls/bag, 10bags/ctn (1000pcs/ctn) |

BS-01
VetSet Under Bandage Scissors



- | Features |
|--|
| - Size: 14.5cm (also have 18.5/16cm) |
| - Material: Stainless steel |
| - color: black or others with silver blade |
| - Shape: bend shape |
| - Packing: PP bag |

TA-VA07
Urinary cat Catheter



Features

- side-open 1.0*130mmmm, 1.3*130mm
- top-open1.0*130mmmm, 1.3*130mm
- with stylet or wihtout stylet
- Material PA

Storage Sets



TA-VA08
Veterinary foley catheter



Features

- P100% Silicone, less allergic to animal patients
- Be with stylet for animal pediatric size
- Available size 5Fr, 6Fr, 8Fr, 10Fr
- Sterile by EO gas

Optional Color



TA-VA09
Veterinary iv catheter



Features

- 22G 0.8x25(mm) for Large Animal
- 24G 0.7x19(mm)for medium Animal
- 26G 0.6x16(mm)for small Animal
- Three stage needle tube cutting process ensure sharper

Optional Model




Type I

Type II

Type III

TA-VA10
Dog Disposable Vas deferens



Features

- Color blue
- Material plastic
- Four size
- Type Canine artificial insemination

Application Scenario



TA-VA11
Veterinary pga surgical suture



Features						
Size 3/8circle6X15 3/8circle7X19 3/8circle8X24 1/2circle5X12 1/2circle7X17 1/2circle8X19						
Length of Needle	20mm	24mm	31mm	19mm	27mm	30mm
usp	4-0	3-0	2-0	4-0	3-0	2-0
Length of Line	90cm	90cm	90cm	90cm	90cm	90cm
Material	PGA	PGA	PGA	PGA	PGA	PGA

TA-VA12
Urine Bag Vet with Belt



Features
- Target Species DOG, CAT
- Size 150ml,300ml,500ml,1000ml
- Color Transparent, White
- Packaging Individual Bag

Application Scenario



R125
Heat Lamp Bulb



Features
- Color Temperature(CCT) Warm Red
- Lamp Body Material Glass
- Lifespan (hours) 5000
- Input Voltage(V) AC 110V/220V (± 10%)

Application Scenario



KV-38
Pet Duckbill Muzzle



Features
- Four colors and three sizes
- Applicable Pet Small Animals
- Material Silicone
- Decoration Muzzle

Application Scenario



KV-W1
Ultraviolet Woods Lamp



Features	
Scope of application	For use in hospitals,clinics
Power adapter	AC100-240V 50/60Hz DC5V 2A
Internal power	DC3.7V
Visual lens diameter	50mm±5mm
Electric shock protection	Type II,internal power supply

Application Scenario



KV-300
Woods Lamp



Features	
- UV phototherapy device good assistant, easy to detect skin conditions	
- High brightness, observe normally in daytime, and the effect is better in dark environment	
- No need preheating, observe and use at any time	
- Hand-held operation, flexible observation position	
- Small and convenient to carry, observe and monitor the recovery of pigment and skin damage at any time	

Optional Model (without filter)



RAK-366
Compressor Nebulizer



Features	
- Product Size: 210*170*110mm	
- Power supply: AC220V+10%, 50Hz±1HZ	
- Input Power: 150VA	
- Noise: ≤65dB	
- Nebulizing Rate: ≥0.3mL/min	
- Residual Liquid: ≤ 0.7mL	
- Air Flow: ≥8L/min	

Optional



KV-TZ
Pet Oxygen Box



Features	
- Transparent observation window	
- Safer installation, folding, and storage	
- Top cover with snap-lock design	
- Low-noise operation	

KV-10
Aerochamber



Features	
Specification	175ml With inhalation one way valve & exhalation valve
Spacer Height	141mm±1mm
Spacer Body Diameter	46mm±1mm
Spacer Weight	46g±1g

Application Scenario



KV-BC01
Anti-Bite Collar



Features	
- Color	Transparent,Frosted,any colours
- Usage	Small animal Colloar
- Size	XS.S.M.L.XL
- Single package size	35X20X5 cm

Application Scenario



PET Self-adhesive Bandage



Features	
Material	95% nonwoven + 5% spandex
Glue	Natural latex
Elasticity	180%-210%
Color	Pure color

Application Scenario



KV-43
Horse foot bandage



Features	
- Effectively protects the ball joints	against ligament strain during strenuous exercise.
- Thickened fleece	
- Easy to put on and off	
- Fluffy and elastic	
- Easy to use	
- Length 250cm Width 12cm	

Application Scenario



300101
Elastic adhesive bandage



Features
- High twist, cotton elastic cloth
- Zinc oxide and hot melt latex free based adhesive mixture
- Available in width of 2", 3", 4", length can be made as per request
- Air permeable adhesive to help prevent skin Maceration
- High quality extensible tension for the best compression therapy

TA-BS5L
Breathing Bag



Features
- Capacity: 23L/18L/16L/12L
- Chamber Size(mm): 23L 245X150mm 18L 245X350mm
- No pungent smell. Softhandle, smooth touching
- 22mm standard connector
- With netand smooth surface, no pinholes and dirt

TTDC-09IT
Veterinary Infrared Therapy Cage



Features
- Each chamber is equipped with an infrared physiotherapy lamp
- Has good healing effect on wound healing
- Dimensions(L x W x H): 1500*700*1860mm
- Upper cage(L x W x H): 500*700*610mm
- Lower cage(L x W x H): 1500*700*820mm

TTICU-4V
Animal Intensive Care Unit



Features
- With 4 Controllers
- Dimensions(LxWxH): 1400*890*1910mm
- Upper cage (LxWxH): 700*890*800mm
- Lower cage(LxWxH): 1400*890*1000mm
- 4 chambers combination

VE5
Pet Vital Signs Monitor



Features

- Suitable for measuring physiological parameters
- Suitable for animal
- Audible and visual alarm
- Guard data record playback browsing
- Compact and portable
- Built-in battery or ac power supply

N6 Vet
Veterinary Monitor



Features

- Anti-glare screen, Auto screen rotation
- Continuous monitoring of EcG(3- Leadwire), SpO2, NIBP, PR/RR, TEMP
- Continuous work +5 hours(support power bank to extend using time)
- Fits in the palm of your hand
- High resolution color touchscreen
- Internal temperature monitoring

KV-BR6200
Veterinary Monitor



Features

- One key operation
- Portable and light weight
- APP for Android and IOS
- Easy to operate with type-c connector
- Rechargeable battery and wireless charging
- Multi-function for SpO2, HR, Temp, ECG, RR and NIBP

Accessories



KV-S80
Multi-parameter Veterinary Monitor



Features

- 10.1inch HD Touch Screen
- Interference protection
- Manual, Automatic and Continuous modes
- Standard Parameters: SpO2,NIBP,ECG,PR,TEMP,RESP
- Optional Parameters: 2-TEMP, Side(Micro)Stream EtCO2, MainStream EtCO2,Masimo SpO2, HL7,WIFI

Optional Model S90 Vet



12.4inch

CA10M
Etco2 Monitor



Features

- End-tidal CO2 Measurement range 0 ~150mmHg
- Respiration rate 2rpm~150rbpm
- Preheat time 15S
- Alarm sound pressure level 50dB
- Working Hour 4h

EZ Breath Sure
LED Apnea Monitor



Features

- Apnea Monitor with Visible Display
- Large-capacity battery, long working time for 40 hours
- Built-in Lithium battery, Type-Cinterface charging
- LED digital displays respiratory rate and alarm
- Available to measure respiratoryrate, Apnea alarm, Exceed-limit alarm

Optional Color



KV-X100
Vet (Handheld Monitor)



Features

- Ergonomic design for point of care
- Suitable from big to small animal
- High resolution 3.5." color LCD display
- Selectable working modes: spot check and continuous monitoring
- Classic SpO2/TEMP/NIBP measurement availble

Accessories



300G VET
3 Channel Electrocardiograph



Features

- 3.5 inch TFT Screen
- Specific animal software
- Unique animal ECG accessories for different species
- Printing paper: 80mm*20M
- Dimension: L315*W215*H77mm

Application



KV-06
Pet Pads



Features

Material	Nonwoven Top Sheet; Tissue Paper;Wood Pulp+Sap; Pe Film Back Sheet With Four Stickers
Size	33*45cm/60*45cm/ 60*60cm/ 60*90cm/Customized
Color	Blue, Pink, Green or Customized
Main Products	Adult Diaper;Pants Diaper; Sanitary Napkin; Under Pad; etc

Application Scenario



VPM-01
Vacuum Positioning Mat



Features

- Exterior made of polyurethane material, durable and easy to clean
- Radiation permeable, suitable for ultrasound, DR, CT and MRI, surgery
- Perfectly adapts to the pet's position on demand especially for non-routine surgeries such as ophthalmology
- Quick inflation in 10 seconds, maintains pressure for over 72 hours

Application Scenario



HPP30
Far Infrared Ray Pet Heating Pad



Features

- Temperature range 25-45 degrees, PVC flame retardant waterproof material.
- Timing 6 gears temperature adjustment
- Anti-bite material is safe for naughty pets
- Low temperature soft heat
- 5MM unique insulation layer to prevent heat loss downwar

Application Scenario



KV-045
Pet finger toothbrush



Features

- Estimate Size: 2.5*2.5*5CM
- MATERIAL: Food grade silicone
- PACKAGE: 1pc/opp bag

Optional Color




KV-7628B
Vet Scale



Features	
Size	510*1120mm
Accuracy Class	III
Display	6-digit 20mm LCD with backlight
Work Environment	-10°C~+40°C ≤ 85%RH
Power Supply	3*AA batteries or DC6V adapter

Optional Model



KV-02
Pet Medicine Feeder



Features	
- Product material:	edible silicone + environmental protection plastic material
- Product color:	red, blue, green
- Product specification:	15*16cm
- Supplied with	open and non-open hose
- Syringe is made of	ABS material Transparent

Application Scenario



KV-S01
Veterinary skin stapler



Features	
- Contains 35 wide medical grade stainless steel staples	
- Staple size:	L 7.5mm, W 4.5mm, Dia: 060mm
- Unique ratchet system to prevent jamming	
- Ergonomic, user friendly design	
- Staple Remover Included	

Accessories



KV-7021
4 in 1 Pet Grooming kit IPX7



Features	
- Whole-Body Waterproof	IPX7
- Stainless blade & ceramic blade	
- Rechargeable Ni-MH battery	2.4V 600mAh*2
- Working time:	around 1 hour
- Charging time:	around 5 hours

Optional Heads

